


# Luxury Vinyl Planks



Made in India




**RMG Polyvinyl India Limited**, an ISO 9001:2015 systems approved company and is one of the largest manufacturer and exporter of PVC Floor Coverings in India with annual production in excess of 40,000MT (27 Million Sq meters) of residential & heavy duty floorings. Winner of Top Export Award for PVC floor Coverings since several years, the products are exported to Asian countries, Europe, Gulf, Africa and the Americas.

RMG's state-of-the-art plant is located at Sikandarabad (UP) in the Delhi NCR region, the capital of India. The factory boasts of modern calendaring, LVT & cushion vinyl lines to deliver the widest range of flooring products which meet international requirements for abrasion, low smoke & fire retardant properties.


The factory also produces PVC leather, PVC Films & PVC Geomembranes.

RMG's flooring is marketed in India and overseas under the flagship brand WONDERFLOOR. The Wonderfloor product range includes floorings for home interiors, offices, education, healthcare, factories, buses & rail coaches, aerobridges, supermarkets, porta cabins, prefabricated shelters and almost all interior applications.






NA 1



A 2




ZA 3




A 4



ZA 5



A 7



Thickness: 1.50mm  
 Tile Size: 152.40mm x 914.40mm  
 (6" x 36")

# TIMBERWORLD

## Luxury Vinyl Plank

**TIMBERWORLD** are the latest collection of PVC wooden planks. The shades and designs are carefully chosen to complement the natural wood. Manufactured with multi-layer technology, this premium flooring is highly suitable to handle heavy footfalls.

The PUR protection layer ensures trouble free performance and enhance durability. It reduces the noise impact, is trendy, quick to install, easy to use and maintenance free.

Finally, these are termite resistant, moisture resistant & fire resistant.

### Salient Features

- Superior shock absorbing cushion base layer
- Specially formulated high abrasion resistant wear layer
- **PUR** surface protection for ease in maintenance with stain resistance
- Glass Fibre Impregnation to provide high dimensional stability
- The product is suitable for medium traffic areas
- **Application areas:** Hotels, stores, malls, cafeteria, auditorium, schools, banks, homes, offices etc.
- **Wear Group P**



Easy to install





ZA 8




ZA 9




B 1



B 6



NB 2




B 7



B 3



B 8



NB 4



ZB 5

Thickness: 1.50mm  
Tile Size: 152.40mm x 914.40mm  
(6" x 36")

# TIMBERWORLD

Luxury Vinyl Plank



Wonderfloor is a 'Nature sensitive Brand'  
Our floorings are recyclable.  
When you use Wonderfloor floorings  
you are helping in conserving nature.



Low Maintenance



Stain Resistant




100% Recyclable



Classy Cane 3383



Weathery Oak 3571



Oak Premium 2906



Walnut 3062

Thickness: 2.0mm  
 Tile Size: 152.40mm x 914.40mm  
 (6" x 36")

# TIMBERLAND EXOTICA

Luxury Vinyl Plank

**TIMBERLAND EXOTICA** are the latest collection of PVC wooden planks. The shades and designs are carefully chosen to complement the natural wood. Manufactured with multi-layer technology, this premium flooring is highly suitable to handle heavy footfalls.

The PUR protection layer ensures trouble free performance and enhance durability. It reduces the noise impact, is trendy, quick to install, easy to use and maintenance free. Finally, these are termite resistant, moisture resistant & fire resistant.

## Salient Features

- Superior shock absorbing cushion base layer
- Specially formulated high abrasion resistant wear layer
- **PUR** surface protection for ease in maintenance with stain resistance
- Glass Fibre Impregnation to provide high dimensional stability
- The product is suitable for medium traffic areas
- **Application areas:** Hotels, stores, malls, cafeteria, auditorium, schools, banks, homes, offices etc.
- **Wear Group P**




Classic Dark 3382




Exotic Wood 3572



Antique 3304



Cherry 3624





Burnt Wood 2406



Natural Teak 3040



English Wood 3338



Vintage White 3309

Thickness: 2.0mm  
Tile Size: 152.40mm x 914.40mm  
(6" x 36")

# TIMBERLAND EXOTICA

Luxury  
Vinyl  
Plank



Wonderfloor is a 'Nature sensitive Brand'  
Our floorings are recyclable.  
When you use Wonderfloor floorings  
you are helping in conserving nature.



Vintage Teak 3266



Exotic Teak 3111



Farm Oak 3408



Low Maintenance




Stain Resistant




100% Recyclable



TM 01



TM 02



TM 03



TM 04



TM 05



TM 06



TM 07



TM 08

Thickness: 3.00mm  
 Tile Size: 152.40mm x 914.40mm (6"x 36")

# TIMBERLAND Maestro

Luxury Vinyl Plank

**TIMBERLAND Maestro** are the latest collection of PVC wooden planks. The shades and designs are carefully chosen to complement the natural wood. Manufactured with multi-layer technology, this premium flooring is highly suitable to handle heavy footfalls.

The PUR protection layer ensures trouble free performance and enhance durability. It reduces the noise impact, is trendy, quick to install, easy to use and maintenance free. Finally, these are termite resistant, moisture resistant & fire resistant.

### Salient Features

- Superior shock absorbing cushion base layer
- Specially formulated high abrasion resistant wear layer
- **PUR** surface protection for ease in maintenance with stain resistance
- Glass Fibre Impregnation to provide high dimensional stability
- The product is suitable for medium traffic areas
- **Application areas:** Hotels, stores, malls, cafeteria, auditorium, schools, banks, homes, offices etc.
- Wear Group **T**



**INTRODUCING**  
**TIMBERLAND WIDEX**  
**9”(inch) WIDE**  
 Luxury Vinyl Planks.

Thickness: 2.0mm  
 Tile Size:  
**228.60mm x 914.40mm**  
**(9”x 36”)**

Luxury  
 Vinyl  
 Plank



36inch

9 inch

**TIMBERLAND WIDEX** is the latest collection of PVC wooden planks. The shades and designs are carefully chosen to complement the natural wood. Manufactured with multi-layer technology, this premium flooring is highly suitable to handle heavy footfalls. The PUR protection layer ensures trouble free performance and enhance durability. It reduces the noise impact, is trendy, quick to install, easy to use and maintenance free. Finally, Timberland is termite resistant, moisture resistant & Fire resistant.

**Salient Features**

- Superior shock absorbing cushion base layer
- Specially formulated high abrasion resistant wear layer
- **PUR** surface protection for ease in maintenance with stain resistance
- Glass Fibre Impregnation to provide high dimensional stability
- The product is suitable for medium traffic areas
- **Application areas:** Hotels, stores, malls, cafeteria, auditorium, schools, banks, homes, offices etc.
- **Wear Group P**



Fire  
 Resistant



Termite  
 Proof



Environment  
 Friendly



Moisture  
 Proof



Low Maintenance



Stain Resistant



100% Recyclable



**LVT - Installed at:**

- Manas Resort - Igatpuri • Dhirubai International School - BKC • Bank Of Baroda Staff Quarters - BKC. • Abhay International School - Vikroli • Pravatibai Chavan Hospital - Kandivali • ACE Heart Clinic - Borivali • Makoons Pre School - Mira Road • Ashivin Chinubai Broking Pvt Ltd - Colaba • Army CSD Canteen - Dharmshala • PGI Nuclear Deptt - Chandigarh • Octane Fitness Gym - Chandigarh • DPS School - Nangal • United Phosphorous Ltd, Township - Ankaleshwar, Gujarat • Guwahati Airport • Fab hotel - Delhi • Global Gymnasium - Noida • Jain Orthopedic Clinic - Delhi • MAII Instuite - Delhi • Klay Pree School - Gurgaon • Ek Batta Do Architect - Rudrapur, UK • Junior Pathshala School-Greater Noida • LIC OFFICE - Varanasi • Color Plus Showroom - Lucknow • Methadox-Lucknow



## PERFORMANCE CHARACTERISTICS

CHARACTERISTICS	TEST METHOD	TIMBERWORLD	TIMBERLAND EXOTICA / WIDEX	TIMBERLAND MAESTRO
TYPE OF FLOORING	EN649	RESILIENT FLOORING	RESILIENT FLOORING	RESILIENT FLOORING
OVERALL THICKNESS (mm)	EN 428	1.50	2.00	3.00
DIMENSION (SIZE)	EN 427	152.4mm X 914.4mm (6" X 36")	152.4mm X 914.4mm (6" X 36") 228.6mm X 914.4mm (9" X 36")	152.4mm X 914.4mm (6" X 36")
SQAURENESS	IS: 3464	≤ 0.25 mm	≤ 0.25 mm	≤ 0.25 mm
WEAR LAYER		0.10mm (HEAVY DUTY)	0.20 (HEAVY DUTY)	0.30mm (Heavy Duty)
DENSITY	EN 430	2950 g/m <sup>2</sup>	3500 g/m <sup>2</sup>	5250 g/m <sup>2</sup>
DIMENSIONAL STABILITY	EN 434	≤ 0.25 mm	≤ 0.25 mm	≤ 0.25 mm
RESIDUAL INDENTATION	EN 433	≤ 0.10 mm	≤ 0.10 mm	≤ 0.10 mm
FLEXIBILITY	EN 435	NO CRACKING USING 20 mm mandrel	NO CRACKING USING 20 mm mandrel	NO CRACKING USING 20 mm mandrel
COLOR FASTNESS	ISO 105 B02	CLASS 6	CLASS 6	CLASS 6
FIRE RATING	EN 13501 - 1	Bfl-S1	Bfl-S1	Bfl-S1
HORIZONTAL & VERTICAL BURNING TEST	IS 15061 - 2002	PASS (ARAI)	PASS (ARAI)	PASS (ARAI)
PERFORMANCE CLASSIFICATION	EN 685	31/32	31/32	31/32
ABRASION RESISTANCE	EN: 660-2	Wear Group P	Wear Group P	Wear Group T
SOUND ABSORPTION	ISO 140-8/EN ISO 717-2	ΔLW=4db	ΔLW=4db	ΔLW=4db
SLIP RESISTANCE	DIN 51130	R9	R9	R9
BEARING CASTOR CHAIR	EN 425	SUITABLE / CONTINUOUS USE	SUITABLE / CONTINUOUS USE	SUITABLE / CONTINUOUS USE
SURFACE PROTECTION	PUR	PUR	PUR	PUR
PATTERN		WOOD and CLASSIC	WOOD and CLASSIC	WOOD and CLASSIC
No. of pcs per BOX & AREA of BOX		24 pcs / box = 3.34 sqm/ box	24 pcs / box = 3.34 sqm/ box (EXOTICA) 16 pcs / box = 3.34 sqm/ box (WIDEX)	16 pcs / box = 2.23 sqm/ box



### MAINTENANCE

**Do's:** • After laying of flooring, the surface should be cleaned daily with damp mop and weekly or fortnightly with soap solution • Prevent point load indentation by covering your furniture legs with rubber stopper caps • To remove stubborn stains, rub the affected area immediately with a soft cor brush or fine steel wool soaked in a warm soap solution • Scuff marks on the floor can be removed with little application of diesel • Use door coir or suitable mats to minimize accumulation of dust on Wonderfloor vinyl flooring • Use water to remove any chemical spill on flooring.

**Don'ts:** • Do not use any strong detergent, harsh cleaning agent or dry steel wool • Throwing of lighted cigarette butts or match sticks on the floor should be avoided as it could lead to burn marks on the floor • Do not drag any heavy object or furniture on the flooring to avoid scratches on the floor.

**For institutional/bulk enquiries, please e-mail : [mkt@rmgpoly.com](mailto:mkt@rmgpoly.com)**

**or call : +91 9711200510**

**For export enquiries, please e-mail : [info@rmgpoly.com](mailto:info@rmgpoly.com)**

**or call : +91 9873138885 / +91 9953208740**

#### RMG POLYVINYL INDIA LIMITED

Registered Office : UGSR 4, Ansals Plaza, Sector 1, Vaishali Ghaziabad 201 010, (U.P) INDIA. Tel.: +91

120-4284802/803/804/805/806.

Fax: +91 11 66173679. E-mail: [info@rmgpoly.com](mailto:info@rmgpoly.com)

Regional Offices :

• Ahmedabad • Bangalore • Bhubaneswar • Chennai • Chandigarh • Guwahati • Hyderabad • Indore • Kolkata • Kochi  
• Lucknow • Mumbai • Pune • Patna

WONDERFLOOR is the registered Trade Mark of RMG Polyvinyl India Limited [www.wonderfloor.com](http://www.wonderfloor.com)

